


> home : > about : > feedback : > login **US Patent & Trademark Office**



Search Results

Search Results for: [neural and neuron and time and pulse and discrimination] Found 6 of 125,779 searched.

| Search within Results | | | | | |
|---|------------------------------|--|--|--|--|
| > Advanced Search | | | | | |
| Sort by: Title Publication Publication Date Score Binder | | | | | |
| Results 1 - 6 of 6 short listing | | | | | |
| Progress in Picture Processing: 196971 Azriel Rosenfeld ACM Computing Surveys (CSUR) June 1973 Volume 5 Issue 2 | 80% | | | | |
| Plealth aspects of wireless communication: auditory perception of microwaves hearing microwaves James C. Lin ACM SIGMOBILE Mobile Computing and Communications Review April 2002 Volume 6 Issue 2 | 77% | | | | |
| A modular software real-time brain wave detection system A. A. Arroyo , D. G. Childers Proceedings of the 20th annual Southeast regional conference April 1982 The philosophy behind the modular design and implementation of a computer-drifacility to collect and process EEG records is illustrated. The software modules are stand-alone programs in their own right that can externally be reconfigured into components to solve a more complex problem. As such, they behave like the "commands" of a command line interpreter (CLI). They are easily invoked by the of operating system macros without increasing the demands on the system operating the use | e the use | | | | |
| 4 Using artificial neural nets to predict academic performance Al Cripps Proceedings of the 1996 ACM symposium on Applied Computing February 1996 | 77% 6 | | | | |
| 5 VC dimension of an integrate-and-fire neuron model Anthony M. Zador , Barak A. Pearlmutter Proceedings of the ninth annual conference on Computational learning theory | [.] 77% y | | | | |

į

January 1996

6 Supervised adaptive resonance networks

77%

R. S. Baxter

Proceedings of the conference on Analysis of neural network applications May

short listing Results 1 - 6 of 6

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publications/Services Standards Conferences Careers/Jobs




| | RECEASE (A) |
|--|---|
| Help FAQ Terms IEE | E Peer Review Quick Links * S |
| Welsome to less <i>Xplores</i> - Home - What Can I Access? - Log-out | Your search matched 1 of 990987 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevant Descending order. Refine This Search: |
| fables of Contents | You may refine your search by editing the current search expression or entenew one in the text box. |
| O- Journals & Magazines | neural and neuron and time and pulse and discrimin Search |
| O- Conference Proceedings | Check to search within this result set |
| O- Standards | Results Key: JNL = Journal or Magazine CNF = Conference STD = Standard |
| Search | |
| O- By Author O- Basic O- Advanced | 1 Combining structural and spectral information for discrimination upulse coupled neural networks in multispectral and hyperspectral da Cooley, J.H.; Cooley, T.W.; Geoscience and Remote Sensing, 1997. IGARSS '97. 'Remote Sensing - A So |
| Member Services | Vision for Sustainable Development'., 1997 IEEE International , Volume: 4 , |
| O- Join IEEE O- Establish IEEE | Aug. 1997 Pages:1666 - 1668 vol.4 |
| Web Account | [Abstract] [PDF Full-Text (336 KB)] IEEE CNF |
| O Access the IEEE Member Digital Library | |

New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No. Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top.

Copyright © 2004 IEEE — All rights reserved



> home | > about | > feedback | > login US Patent & Trademark Office



Search Results

Search Results for: [time AND period AND pulse AND discrimination AND neural AND interactive AND iterate]
Found 1 of 125,779 searched.

| Search | ch within Results | | | | | |
|---|---|--|--|---|---|-----|
| > Search | Help/Tips | | | | > Advanced Search | |
| *************************************** | | | | | | |
| Sort by: | Title | | Publication Date | | S inder | |
| Results | 1 - 1 of 1 | L short lis | ting | | | |
| for Yu-Fe Proc 2002 | video SL ei Ma , Lie e edings ! Automatio managem summariz understar video con | Immarization and Immarization of the tenth And generation of the tenth And Brows artion based on the firm of the firm of the sthe needs of the station based of the station based on the station based on the station based of the station based on the station based | ng Zhang , Mingjing lack of the control of the control of the control of the content, this framework takes advantages. | Li conferen n is one o e present wer's atte ork takes ge of con | A user attention model ace on Multimedia December of the key techniques in video a generic framework of video ention. Without fully semantic advantage of understanding of inputational attention models and eo summarization. A set of | 77% |

Results 1 - 1 of 1 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|-----------|--------------------|
| - | 2 | ("5751571").PN. | USPAT; | 2004/01/01 08:59 |
| | | , | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 12 | (5751571, 6134510, 6363333, 6226549, 6266624, | USPAT; | 2003/12/26 10:52 |
| | | "6117074").pn. | US-PGPUB; | , |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 27 | deco-gustavo.in. | USPAT; | 2003/12/31 18:44 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 3 | schurmann-bernd.in. | USPAT; | 2003/12/31 18:44 |
| | | Schairmann Schairm | US-PGPUB; | 2000, 22,02 20, 11 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 93 | neural and pulse\$1 and discrimination and maxim\$4 and | USPAT; | 2004/01/01 10:16 |
| | 95 | interactive\$2 | US-PGPUB; | 2001/01/01 10:10 |
| | | interactives2 | EPO; JPO; | 1 |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | 221 | neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 09:29 |
| - | 221 | interactive\$2 and neuron\$1 | US-PGPUB; | 2004/01/01 05.25 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | 54 | neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:07 |
| - | 34 | interactive\$2 and neuron\$1 and iterat\$3 | US-PGPUB; | 2007/01/01 10.07 |
| | | Interactives 2 and neurons 1 and iterats | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | F.4 | nound and pulsoft and discriminate? and maxime4 and | USPAT; | 2004/01/01 10:08 |
| - | 54 | neural and pulse\$1 and discriminat\$3 and maxim\$4 and | US-PGPUB; | 2007/01/01 10.00 |
| | | interactive\$2 and neuron\$1 and iterat\$3 and (time) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | EA | noural and nulcot1 and discriminate3 and maxime4 and | USPAT; | 2004/01/01 11:14 |
| - | 54 | neural and pulse\$1 and discriminat\$3 and maxim\$4 and interactive\$2 and neuron\$1 and iterat\$3 and (time or | US-PGPUB; | 2007/01/01 11:17 |
| | | temporal) | EPO; JPO; | |
| | | temporar <i>j</i> | DERWENT; | |
| | | | IBM_TDB | |
| _ | 27 | neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:10 |
| - | 27 | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | 200 1/01/01 10:10 |
| |] | Interactive\$2 and neuron\$1 and iterat\$3 and ((unite adj span) or temporal) | EPO; JPO; | |
| | | Spair) or temporary | DERWENT; | |
| | | | | |
| | 33 | noural and nulcott and discriminates and maximes and | IBM_TDB | 2004/01/01 10:17 |
| - | 22 | neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:17 |
| | | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | |
| | | span) or temporal) and end\$3 | EPO; JPO; | |
| | | | DERWENT; | |
| | | and the state of t | IBM_TDB | 2004/04/04 40 42 |
| - | 18 | neural and pulse\$1 and discrimination and maxim\$4 and | USPAT; | 2004/01/01 10:13 |
| | | interactive\$2 and electroencephalogram | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | <u> </u> |

| - | 10 | neural and pulse\$1 and discrimination and maxim\$4 and | USPAT; | 2004/01/01 10:15 |
|------------|----------|--|-----------|---------------------|
| | | interactive\$2 and electroencephalogram and gradient | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 8 | neural and pulse\$1 and discrimination and maxim\$4 and | USPAT; | 2004/01/01 10:16 |
| | | interactive\$2 and electroencephalogram not gradient and | US-PGPUB; | ! |
| | | optimi\$6 | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 0 | (neural and pulse\$1 and discrimination and maxim\$4 and | USPAT; | 2004/01/01 10:16 |
| | | interactive\$2 and electroencephalogram not gradient and | US-PGPUB; | |
| | | optimi\$6) and alopex | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 0 | neural and pulse\$1 and discrimination and maxim\$4 and | USPAT; | 2004/01/01 10:16 |
| | | interactive\$2 and alopex | US-PGPUB; | |
| | | · | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 1 | neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:43 |
| | _ | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | |
| | | span) or temporal) and end\$3 and electroencephalogram | EPO; JPO; | |
| | | not gradient and optimi\$6 | DERWENT; | |
| | | , 9, 9F | IBM_TDB | |
| _ | 39 | alopex | USPAT; | 2004/01/01 10:28 |
| | | diopen | US-PGPUB; | , |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| l <u>.</u> | 7 | alopex and probability | USPAT; | 2004/01/01 10:28 |
| | · | alopex and probability | US-PGPUB; | 200 1,02,02 20.20 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 2 | (alopex and probability) and classification | USPAT; | 2004/01/01 10:28 |
| | - | (diopex and probability) and diassification | US-PGPUB; | 200 1, 02, 02 20.20 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 1 | (neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:44 |
|] - | * | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | |
| 1 | | span) or temporal) and end\$3 and electroencephalogram | EPO; JPO; | |
| | | not gradient and optimi\$6) and classif\$7 | DERWENT; | |
| | | | IBM_TDB | |
| 1_ | 1 | ((neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:44 |
| | | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | -30 1,02,02 2011 |
| 1 | | span) or temporal) and end\$3 and electroencephalogram | EPO; JPO; | |
| | | not gradient and optimi\$6) and classif\$7) and signal | DERWENT; | |
| | 1 | i not gradient and optimiso, and classify, and signal | IBM_TDB | |
| | 0 | (((neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:33 |
| - | " | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | 200 1/01/01 10:55 |
| | | span) or temporal) and end\$3 and electroencephalogram | EPO; JPO; | |
| | İ | not gradient and optimi\$6) and classif\$7) and signal) and | DERWENT; | |
| | l | | IBM_TDB | |
| | | processor ///poursal and pulsoft and discriminate? and maximt4 and | USPAT; | 2004/01/01 10:45 |
|] - | 1 | (((neural and pulse\$1 and discriminat\$3 and maxim\$4 and | US-PGPUB; | 2007/01/01 10.45 |
| | } | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | | |
| | | span) or temporal) and end\$3 and electroencephalogram | EPO; JPO; | |
| | İ | not gradient and optimi\$6) and classif\$7) and signal) and | DERWENT; | |
| L | <u> </u> | computer | IBM_TDB | |

| - | T 1 | neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:46 |
|---|--------|---|---------------------|------------------|
| | | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | |
| | | span) or temporal) and end\$3 and electroencephalogra\$2 | EPO; JPO; | |
| | | not gradient and optimi\$6 | DERWENT; | |
| | | | IBM_TDB | |
| - | 1 | (neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:44 |
| | | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | |
| | | span) or temporal) and end\$3 and electroencephalogra\$2 | EPO; JPO; | |
| | | not gradient and optimi\$6) and classif\$7 | DERWENT; | |
| | | | IBM_TDB | |
| - | 1 | ((neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:45 |
| | | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | ļ |
| | | span) or temporal) and end\$3 and electroencephalogra\$2 | EPO; JPO; | |
| | | not gradient and optimi\$6) and classif\$7) and signal | DERWENT; | |
| | | | IBM_TDB | |
| - | 1 | (((neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:45 |
| | | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | |
| | | span) or temporal) and end\$3 and electroencephalogra\$2 | EPO; JPO; | |
| | | not gradient and optimi\$6) and classif\$7) and signal) and | DERWENT; | |
| | | computer | IBM_TDB | 2004/04/04 40 46 |
| - | 1 | neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:46 |
| | | interactive\$2 and neuron\$1 and iterat\$3 and ((time adj | US-PGPUB; | |
| | | span) or temporal) and end\$3 and electroencephalogra\$4 | EPO; JPO; | |
| | | not gradient and optimi\$6 and classif\$7 and signal and | DERWENT; | |
| | 1 20 | computer | IBM_TDB | 2004/01/01 10:59 |
| - | 39 | (neural and pulse\$1 and discriminat\$3 and maxim\$4 and | USPAT; | 2004/01/01 10:58 |
| | | interactive\$2 and neuron\$1 and iterat\$3 and (time or | US-PGPUB; | |
| | | temporal)) and train\$3 | EPO; JPO; | |
| | | | DERWENT; IBM_TDB | |
| | 1 | (/noural and nulcot1 and discriminate2 and maxime4 and | USPAT; | 2004/01/01 10:58 |
| - | 25 | ((neural and pulse\$1 and discriminat\$3 and maxim\$4 and interactive\$2 and neuron\$1 and iterat\$3 and (time or | US-PGPUB; | 2004/01/01 10.36 |
| | | temporal)) and train\$3) and span | EPO; JPO; | |
| | | temporary and damps, and span | DERWENT; | |
| | | | IBM_TDB | |
| _ | 284103 | time adj (span or period) | USPAT; | 2004/01/01 11:07 |
| | 204103 | time adj (span or period) | US-PGPUB; | 2001/01/01 11:07 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 11 | (time adj (span or period)) and (((neural and pulse\$1 and | USPAT; | 2004/01/01 11:08 |
| | | discriminat\$3 and maxim\$4 and interactive\$2 and neuron\$1 | US-PGPUB; | |
| | | and iterat\$3 and (time or temporal)) and train\$3) and span) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 20 | (time adj (span or period)) and (neural and pulse\$1 and | USPAT; | 2004/01/01 11:08 |
| | | discriminat\$3 and maxim\$4 and interactive\$2 and neuron\$1 | US-PGPUB; | ' ' |
| | | and iterat\$3 and (time or temporal)) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |